Notice of Allowability	Application No.	Applicant(s)
	10/648,962	ECKERDT, GEORGE H.
	Examiner	Art Unit
	Michael Rutland-Wallis	2835
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included nerewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>08/27/2003</u> .		
2. ☑ The allowed claim(s) is/are <u>1-27</u> .		
Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 		
each sheet. Replacement sheet(s) should be labeled as such in t	he header according to 37 CFR 1.121	(d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 11/28/2003	6. Interview Summar Paper No./Mail Da 08), 7. Examiner's Amend	ate Iment/Comment
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	9. Other	LYNN FEILD
	SUPER	VISORY PATERIT EVARIABLE

TECHNOLOGY CENTER 2800

Art Unit: 2835

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement filed November 28, 2003 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because applicant gives no references to consider. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

Allowable Subject Matter

Claims 1-27 are allowed. The following is an examiner's statement of reasons for allowance: McCurry (U.S. Pub No. 200100398819) teaches door key retention device for a door, comprising: a lock for the door, said lock having a locked position, an unlocked position, and a key for moving said lock from a locked position to an unlocked position when it is inserted in said lock, which key can be withdrawn from said lock

when the lock is in the locked position, but cannot be withdrawn from said lock when the lock is in an unlocked position. McCurry does not teach the door being provided with power so that it can be opened and closed only when the lock is in the unlocked position nor does McCurry teach the device prevents the lock from being returned to the locked position unless the door is closed. These further limitations are not taught or rendered obvious by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Charbonneau et al. (U.S. Pat. No. 5,237,843) teaches a device similar to that of McCurry where Charbonneau's apparatus is not used on a powered door nor is the position of the door considered. McHeffery (U.S. Pat. No. 4,074,462) teaches a window locking system where the window may be lock in multiple positions, Gerlach (U.S. Pat. No. 4,120,184), Mullich et al. (U.S. Pat. No. 4,300,374), Austin et al. (U.S. Pat. No. 3,906,762) and Eden (U.S. Pat. No. 5,970,761) teach devices which trap and retain the key to a lock, Barrle (GB 2388154A) teaches locking device wherein the key may is retained in the lock and may only be removed when the user is on the other

Application/Control Number: 10/648,962 Page 4

Art Unit: 2835

side of the door however the position of the door is not taught to be considered before the release of the key from the lock.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Rutland-Wallis whose telephone number is 571-272-5921. The examiner can normally be reached on Monday-Thursday 7:30AM-6:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn D. Feild can be reached on 571-272-2092. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MRW

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800

7 0. A